

A profile 35.55 TsT



Article

| Item no. | Description |
|----------|--|
| 186950 | A profile 35.55 TsT Contact bar profile, 35x55 mm, 30 m roll |

Scope of delivery

- Contact strip profile, 30.000 mm

Use

- For various gate or door types. Can only be used in conjunction with a suitable mounting profile

Technical data

- Material: TPE
- Color: Black
- Temperature (min.)[°C]: -10
- Temperature (max.)[°C]: 50
- Temperature (min./max.)[°C]: -10/50
- Temperature (min.)[°F]: 14
- Temperature (max.)[°F]: 122
- Width [mm]: 35
- Height [mm]: 55
- Length [mm]: 30,000

- Weight per meter [kg]: 0.61
- Packing width: 1,000
- Packing height: 300
- Packing depth/length: 1,200
- Packing weight: 36
- Freight forwarding articles: Yes
- Customs tariff number: 39161000
- Country of origin 1000: Deutschland
- Garantie: -

Accessories

| Item no. | Description |
|----------|--|
| 99590 | Aluminum profile 24x8 mm 2 m |
| 177309 | Aluminum profile set 24x8 mm 5 m, 10 pieces |
| 115798 | Aluminum profile 25x18 mm 2 m |
| 169153 | Aluminum profile 25x14 mm 2 m, for fastening in front of the gate |
| 100893 | F stop buffer 2 Stop buffer, 55 mm high, with T-nut, 2 pieces |
| 186945 | A connector 35.55 - 8.2 kOhm Termination plug with 8.2 kOhm resistor |
| 186954 | A plug 35.55 - 0.3 m Connector plug with 0.3 m cable |

Predecessors

| Item no. | Description | Discontinuation |
|----------|--|-----------------|
| 123146 | A profile 35.55 TsT Contact strip profile 35x55 mm, 25 m | 2021-07-01 |

Technical drawings

